

Table ENG-6. - Sanitary Facilities

Wythe County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
1B:							
Austinville	80	Very limited Too clayey	1.00	Not limited		Very limited Too clayey	1.00
1C:							
Austinville	80	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
1D:							
Austinville	80	Very limited Slope Too clayey	1.00 1.00	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 1.00
2E:							
Austinville	45	Very limited Too clayey Slope	1.00 1.00	Very limited Slope	1.00	Very limited Too clayey Slope	1.00 1.00
Rock outcrop	30	Not Rated		Not Rated		Not Rated	
3B:							
Botetourt	75	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
4C:							
Chiswell	35	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Gravel content Slope	1.00 1.00 0.37
Groseclose	25	Very limited Too clayey Slope	1.00 0.37	Somewhat limited Slope	0.37	Very limited Too clayey Slope	1.00 0.37
Litz	20	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Slope	1.00 0.37	Very limited Depth to bedrock Gravel content Slope	1.00 0.90 0.37
Clubcaf	2	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00

4D:

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
4D:							
Chiswell	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00
Groseclose	25	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
Litz	20	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.90
Clubcaf	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
4E:							
Chiswell	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00
Groseclose	25	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
Litz	20	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.90
Clubcaf	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
5A:							
Clubcaf	80	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
6C:							
Dekalb	75	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Seepage	1.00	Depth to bedrock	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
		Slope	0.37	Slope	0.37	Gravel content	0.38

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
6D:							
Dekalb	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
6E:							
Dekalb	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Seepage	1.00	Slope	1.00
		Seepage	1.00	Depth to bedrock	1.00	Seepage	1.00
7B:							
Derroc	80	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Seepage	1.00
		Seepage	1.00	Seepage	1.00	Content of large stones	0.82
		Content of large stones	0.82			Gravel content	0.02
8E:							
Drypond	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Slope	1.00	Seepage	1.00
		Slope	1.00			Slope	1.00
Rock outcrop	25	Not Rated		Not Rated		Not Rated	
9A:							
Evansham	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Too clayey	0.50
10B:							
Frederick	80	Very limited		Not limited		Very limited	
		Too clayey	1.00			Too clayey	1.00
10C:							
Frederick	80	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.37	Too clayey	1.00
		Slope	0.37			Slope	0.37
10D:							
Frederick	80	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	1.00			Too clayey	1.00
11A:							

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
11A:							
Gullion	85	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	0.68
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	0.50
		Too clayey	0.50				
Evansham	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Too clayey	0.50
12C:							
Hagerstown	80	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Slope	0.37	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.08	Slope	0.37
		Slope	0.37			Depth to bedrock	0.08
Rock outcrop	5	Not Rated		Not Rated		Not Rated	
12D:							
Hagerstown	80	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.08	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.08
Rock outcrop	5	Not Rated		Not Rated		Not Rated	
13E:							
Hagerstown	45	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Slope	1.00	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.08	Slope	1.00
		Slope	1.00			Depth to bedrock	0.08
Rock outcrop	30	Not Rated		Not Rated		Not Rated	
14B:							
Hagerstown	50	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	0.08	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.08
Wurno	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
						Gravel content	1.00
14C:							
Hagerstown	50	Very limited		Somewhat limited		Very limited	
		Depth to bedrock	1.00	Slope	0.37	Too clayey	1.00
		Too clayey	1.00	Depth to bedrock	0.08	Slope	0.37
		Slope	0.37			Depth to bedrock	0.08

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
14C:							
Wurno	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Gravel content	1.00
						Slope	0.37
14D:							
Hagerstown	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.08	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.08
Wurno	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00
14E:							
Hagerstown	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.08	Too clayey	1.00
		Too clayey	1.00			Depth to bedrock	0.08
Wurno	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00
15B:							
Ingledove	80	Not limited		Not limited		Not limited	
16C:							
Jefferson	75	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.37	Slope	0.37	Slope	0.37
16D:							
Jefferson	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
16E:							
Jefferson	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
17C:							

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
17C: Lily	75	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.37	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.37	Very limited Depth to bedrock Seepage Slope	1.00 0.50 0.37
17D: Lily	75	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 0.50
17E: Lily	75	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 0.50
18B: Marbie	45	Very limited Depth to thick cemented pan Depth to saturated zone	1.00 1.00	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.75	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.86
Wyrick	35	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
18C: Marbie	45	Very limited Depth to thick cemented pan Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 0.75 0.37	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 0.86 0.37
Wyrick	35	Somewhat limited Too clayey Slope	0.50 0.37	Somewhat limited Slope	0.37	Somewhat limited Too clayey Slope	0.50 0.37
18D: Marbie	45	Very limited Slope Depth to thick cemented pan Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 1.00 0.75	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 1.00 0.86
Wyrick	35	Very limited Slope Too clayey	1.00 0.50	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
19C:							
Matneflat	75	Very limited		Very limited		Somewhat limited	
		Seepage	1.00	Seepage	1.00	Seepage	0.50
		Slope	0.37	Slope	0.37	Slope	0.37
19D:							
Matneflat	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
19E:							
Matneflat	75	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Seepage	0.50
20A:							
Nomberville	80	Very limited		Very limited		Not limited	
		Flooding	1.00	Flooding	1.00		
Evansham	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Too clayey	0.50
21A:							
Pagebrook	80	Very limited		Very limited		Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too clayey	1.00
		Too clayey	1.00	Flooding	0.40	Depth to saturated zone	0.09
		Flooding	0.40				
Evansham	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Ponding	1.00
		Ponding	1.00	Ponding	1.00	Too clayey	0.50
22:							
Pits, quarries	100	Not Rated		Not Rated		Not Rated	
23C:							
Rayne	45	Very limited		Somewhat limited		Somewhat limited	
		Depth to bedrock	1.00	Slope	0.37	Too clayey	0.50
		Too clayey	0.50	Depth to bedrock	0.01	Slope	0.37
		Slope	0.37			Gravel content	0.09

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
23C:							
Berks	35	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
23D:							
Rayne	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.01	Too clayey	0.50
		Too clayey	0.50			Gravel content	0.09
Berks	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
23E:							
Rayne	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Depth to bedrock	1.00	Depth to bedrock	0.01	Too clayey	0.50
		Too clayey	0.50			Gravel content	0.09
Berks	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
24F:							
Rock outcrop	40	Not Rated		Not Rated		Not Rated	
Wurno	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00
25B:							
Shottower	80	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
25C:							
Shottower	80	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Slope	0.37	Too clayey	0.50
		Slope	0.37			Hard to compact	0.50
						Slope	0.37
25D:							

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
25D:							
Shottower	80	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Slope	1.00
		Too clayey	0.50			Too clayey	0.50
						Hard to compact	0.50
26A:							
Sindion	85	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated	0.68
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	zone	
		Seepage	1.00			Seepage	0.21
Clubcaf	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	zone	
27A:							
Speedwell	85	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Seepage	1.00
		Seepage	1.00				
28C:							
Sylvatus	45	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Gravel content	1.00
						Slope	0.37
Sylco	35	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Slope	0.37	Slope	0.37	Gravel content	0.53
						Slope	0.37
28D:							
Sylvatus	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00
Sylco	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.53
28E:							
Sylvatus	45	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	1.00

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
28E:							
Sylco	35	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
						Gravel content	0.53
29B:							
Timberville	80	Very limited		Very limited		Somewhat limited	
		Flooding	1.00	Flooding	1.00	Too clayey	0.50
		Too clayey	0.50				
Clubcaf	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	zone	
30C:							
Timberville	80	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Flooding	0.40	Too clayey	0.50
		Flooding	0.40	Slope	0.37	Slope	0.37
		Slope	0.37				
Clubcaf	2	Very limited		Very limited		Very limited	
		Flooding	1.00	Flooding	1.00	Depth to saturated	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	zone	
31:							
Udorthents	100	Not Rated		Not Rated		Not Rated	
32:							
Udorthents	60	Not Rated		Not Rated		Not Rated	
Urban land	30	Not Rated		Not Rated		Not Rated	
33C:							
Urban land	50	Not Rated		Not Rated		Not Rated	
Frederick	30	Very limited		Somewhat limited		Very limited	
		Too clayey	1.00	Slope	0.84	Too clayey	1.00
		Slope	0.84			Slope	0.84
34C:							
Urban land	40	Not Rated		Not Rated		Not Rated	
Marbie	30	Very limited		Very limited		Very limited	
		Depth to thick cemented pan	1.00	Depth to cemented pan	1.00	Depth to cemented pan	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	0.75	Depth to saturated zone	0.86

Table ENG-6. - Sanitary Facilities - Continued

Wythe County, Virginia

Map Symbol and Soil Name	Pct of Map Unit	Trench Sanitary Landfill		Area Sanitary Landfill		Daily Cover for Landfill	
		Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value	Rating Class and Limiting Features	Value
34C:							
Timberville	20	Somewhat limited		Somewhat limited		Somewhat limited	
		Too clayey	0.50	Flooding	0.40	Too clayey	0.50
		Flooding	0.40				
35C:							
Weikert	50	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Slope	0.37	Slope	0.37
		Slope	0.37			Gravel content	0.14
Berks	30	Very limited		Very limited		Very limited	
		Depth to bedrock	1.00	Depth to bedrock	1.00	Depth to bedrock	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
		Slope	0.37	Slope	0.37	Slope	0.37
35D:							
Weikert	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Gravel content	0.14
Berks	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
35E:							
Weikert	50	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00			Gravel content	0.14
Berks	30	Very limited		Very limited		Very limited	
		Slope	1.00	Slope	1.00	Depth to bedrock	1.00
		Depth to bedrock	1.00	Depth to bedrock	1.00	Slope	1.00
		Seepage	1.00	Seepage	1.00	Gravel content	1.00
36B:							
Wheeling	80	Somewhat limited		Not limited		Somewhat limited	
		Too clayey	0.50			Too clayey	0.50
W:							
Water	100	Not Rated		Not Rated		Not Rated	